Page 1

Standard Construction and Materials

FRAME: .081" thick (nominal) extruded aluminum 6063-T52/T6 alloy. **BLADE:** .081" thick (nominal) extruded aluminum 6063-T52/T6 alloy.

Blades spaced approximately 3" on center with architectural

style hidden mullions.

SUPPORTS: Shall incorporate rear angle 2" x 2" x 1/4" extruded aluminum to

withstand windload of 20 PSF, approximately 90 mph wind. Supports vary as required, per windload. Spaced approximately

60" on centers.

FINISH: Mill

Options

Variations - Mitered Corner, Post Corner, Hinged Access,

and Cap Covers.

Finishes - Kynar, Baked Enamel, Clear and Color Anodize (Consult the factory for details.)


Notes

- 1. Maximum panel size should not exceed 60 sq. ft. or $120^{\circ}\text{W} \times 72^{\circ}\text{H}$. Louver sections larger than the factory maximum size will require field assembly of smaller sections.
- 2. Approximate shipping weight is 4.5 lbs./sq.ft.

Horizontal support angle and vertical column support designed, furnished, and installed by others. Vertical "Y" Blade Mitered Corner Option

Screen Sizes

Min Panel	Max Single Panel			
12"W x 12"H	120"W x 72"H (60 sq. ft.)			



									ATAL WOOD
ltem #	<u>Oty</u>	Height	Width				Mitered	Post	OU.
		<u>Screen Size</u>			<u>Mullion</u>		<u>Corner Type</u>		<u>Union Made</u>
<u>Arch. / Eng. :</u>				EDR:		ECN:		<u>Job:</u>	
<u>Contractor:</u>									
Project:				<u>Date:</u>		<u>DWN:</u>		<u>DWG:</u>	

In the interest of product development, Cesco Products reserves the right to make changes without notice.



450 Riverside Dr • Wyalusing PA, 18853 Phone: 570-746-1888 • Fax: 570-746-9286 www.cescoproducts.com